


VERTICAL WATER METERS

Polymer Body, Vertical or Horizontal Installation, Pulse Output



| DIMENSIONS CHART | | | | | | | | |
|------------------|-----------------------|---------------------------------------|----------------------|---------------------------|--|--|--|--|
| Spud Size | Length "L" in [mm] | Length with NPT Coupling "L1" in [mm] | Width "W" In [mm] | Weight Ib [kg] | | | | |
| | | 8.23 [209] 10.16 [258] | | 1.15 [0.52] 1.34 [0.6] | | | | |



The Series WVT Vertical Water Meter is a series of rotary piston water meters that display total water usage. The piston displacement technology results in accurate and reliable operation in either horizontal or vertical mounting. Polymer and stainless steel construction provides high durability and environmental resistance at an economical price. The optional pulse output can be used for flow verification and totalization. Adapter couplings are included to convert BSPP threads on the meter to NPT.

FEATURES/BENEFITS

- · Accurate flow measurement in vertical and horizontal orientations
- Polymer materials prevent corrosion and chemical damage
 Pulse output for flow monitoring
 One-way valve prevents backflow into the meter

APPLICATIONS

- Irrigation Flow monitoring
 Water usage in manufactured equipment
 Residential water metering

SPECIFICATIONS

Service: Water. Wetted Materials: ABS, POM, SS,

Wetter Materials: ABS, POM, SS, Buna-N.
Flow Range: See model chart.
Accuracy: Nominal flow: ±2%;
Transitional flow: ±5%.
Temperature Limit: 122°F (50°C).
Pressure Limit: 150 psi (1034 kPa).
Totalizing Display Maximum:
999,999.99 gallons.

Output Signal: Pulse output with frequency proportional to flowrate.

Pulse Rate: 0.05 gal/pulse.

Electrical Rating: 0.01 A @ 24 VAC/DC.

Electrical Connections: 3.5mm;

stranded color-coded lead wires, 5' (1.5 m) length.

Mounting Orientation: Horizontal or

Weight: See dimension chart.

| MODEL CHART | | | | | | | | | |
|-------------|-------|----------|--------|--------------------------|-------------------|----------|--|--|--|
| | Meter | Coupling | | GPM (Gallons Per Minute) | | | | | |
| Model | Size | Size | Output | Min Flow | Transitional Flow | Max Flow | | | |
| WVT-A-01 | 3/4" | 1/2" NPT | None | 0.07 | 0.11 | 13.75 | | | |
| WVT-A-02 | | | None | | 0.18 | 22 | | | |
| | 3/4" | 1/2" NPT | Pulse | | 0.11 | 13.75 | | | |
| WVT-A-02-1 | 11" | 3/4" NPT | Pulse | 0.11 | 0.18 | 22 | | | |